

# SAFARILAN



# D D U T Y G E A R



Safariland® holsters and accessories are the overwhelming choice for law enforcement officers and competition shooters around the world. Known for quality, performance and technological advancements in design, new products are continually being developed with the most knowledgeable and experienced users in the industry and field tested by users and our world-renowned Team Safariland shooters to provide you with the best available final product.





## MATERIALS

### SAFARISEVEN™

- Proprietary DuPont™ nylon blend that is completely non-abrasive to a firearm's finish
- Raised stand-off surfaces inside holster create airspace to easily clear debris and allow an effortless draw
- Impervious to the elements: can be submerged in water for long periods with no loss of structural integrity
- Very high heat and cold tolerances; structurally sound at 300°F and -50°F
- Can be submerged in water indefinitely and still maintain shape and function

### SAFARILAMINATE™

- Impact-resistant thermoplastic alloy is thermoformed around the holster at close tolerances for an exact fit and the thermal-laminate finish
- Impervious to moisture, bloodborne pathogens, and does not break down like natural materials
- Extremely durable and maintains professional looking appearance for years
- Traditional Leather Look - in Plain, Basketweave, Hi Gloss, and Nylon-Look
- STX finishes available in Plain, Basketweave and Hi Gloss

**STX TACTICAL®** - exclusive "haircell" finish. Famous for its incredible strength and abrasion resistance, available in several finishes and colors

### SAFARISEVEN COLORS



### SAFARILAMINATE & STX TACTICAL COLORS



## Retention Technologies

## RETENTION LEVELS &amp; SYSTEMS

Safariland duty holsters are classified by retention level from I to IV. The Safariland system for holster retention testing, developed in the 1980s, is still the only established and uniform set of criteria in the marketplace for strict testing to evaluate the retention level of a duty holster.

This testing system helps officers evaluate and make informed decisions on the type of holster needed for different scenarios and environments. This criterion sets retention levels by the duration of force and the type of action/activity the officer must complete to remove the weapon from the holster. For more information on Safariland retention level guidelines, visit [Safariland.com/retention-levels.html](http://Safariland.com/retention-levels.html)



**ALS**  
automatic locking system

The ALS® or Automatic Locking System provides a high level of security without adding thumb breaks, snaps, or levers requiring the use of the trigger finger.

- Intuitive release locks into ejection port and upon the draw, the thumb depresses the lever and releases the weapon
- Hood Guard helps protect the ALS from impact and premature release, especially in an attempted takeaway. Included with all duty and tactical versions



**GLS**  
grip locking system

Much like the ALS® with its intuitive draw, the GLS™ or Grip Locking System, is automatically disengaged when taking a shooting grip

- The GLS retention device is operated by the middle finger, simply obtain a shooting grip to release the mechanism
- Automatically locks weapon in place upon holstering
- Only available on concealment models



**SLS**  
self locking system

The SLS or Self Locking System rotating hood has been tested and proven for many years. Simply push down and rotate forward as you obtain your shooting grip.

- Rotating hood system
- Simply push down and rotate forward as you obtain your shooting grip. To close, pull back on the hood, and the SLS self locks
- Optional Sentry lever increases retention level by one

**ALS / SLS**  
automatic locking system / self locking system

## ALS/SLS Combined Retention Systems

- Rotating hood system and ejection port lock operated by the thumb once the SLS is released
- Simply push down and rotate forward as obtain your shooting grip
- Intuitively upon the draw the thumb depresses the lever and releases the weapon

# Level III & IV Retention



**7360**

**7TS™ ALS®/SLS MID-RIDE**

**Level III Retention™**

- ALS® (Automatic Locking System) secures weapon once holstered; simple straight up draw once release is deactivated
- SLS (Self Locking System) Rotating Hood
- Level IV Retention™ with optional Sentry installed
- A proprietary nylon blend that is completely non-abrasive to a firearm's finish
- Raised stand-off surfaces in holster's interior creates air space around the weapon allowing dirt and moisture to quickly clear any contact with the firearm
- Very high heat and low cold tolerances; structurally sound from 300° F to -50° F
- Available in SafariSeven™ Plain, Basketweave, Hi Gloss and FDE Brown finishes



**7362**

**HI-RIDE UBL**

**7365**

**7TS™ ALS®/SLS WITH LOW-RIDE UBL**

- 1.5" (38mm) Belt Drop version



**070**

**SSIII WITH MID-RIDE UBL**

**Level III Retention™**

- Mid-ride belt position and slightly forward grip cant allow for comfortable carry and quick, easy draw
- Top thumb break and middle finger release tab, internal ejection port lock
- Offered for 2.25" (58mm) belt slot only
- Available in Plain Black, Basketweave, Hi Gloss or Nylon Look finishes

**0705**

**LOW-RIDE UBL**

- 1.5" (38mm) Belt Drop version



# Level III Retention



PATENTED



## 6360 ALS®/SLS MID-RIDE Level III Retention™

- ALS® (Automatic Locking System) secures weapon once holstered
- SLS (Self Locking System) Rotating Hood
- Level IV Retention™ with optional Sentry installed
- Slim, compact design allows weapon to ride close to body
- Simple straight up draw once all releases are deactivated
- Available in RDS model
- Available in Plain Black, Basketweave, Hi Gloss, Nylon Look, STX or STX Tactical® finishes (all colors)



PATENTED

## 6365 LOW-RIDE UBL

- 1.5" (38mm) Belt Drop version



PATENTED

## 6362 HI-RIDE UBL



# Level II Retention



**6280**

**SLS MID-RIDE DUTY  
Level II Retention™**

- SLS (Self Locking System) Rotating Hood
- Straight up draw
- Level III Retention™ with optional Sentry installed
- Available in Plain Black, Basketweave, Hi Gloss, Nylon Look, STX or STX Tactical® finishes (all colors)



PATENTED

**7280**

**SLS MID-RIDE DUTY  
Level II Retention™**

- SLS (Self Locking System) Rotating Hood
- Level III Retention™ with optional Sentry installed
- A proprietary nylon blend that is completely non-abrasive to a firearm's finish
- Raised stand-off surfaces in holster's interior creates air space around the weapon allowing dirt and moisture to quickly clear any contact with the firearm
- Very high heat and low cold tolerances; structurally sound from 300° F to -50° F
- Available in SafariSeven™ Plain, Basketweave, Hi Gloss and FDE Brown finishes



**6282**

**HI-RIDE UBL**



**2955**

**LOW-RIDE UBL**

- 1.5" (38mm) Belt Drop version



PATENTED

**7282**

**HI-RIDE UBL**



**6285**

**LOW-RIDE UBL**

- 1.5" (38mm) Belt Drop version



PATENT PENDING

**295**

**MID-RIDE UBL  
Level II Retention™**

- Front wraparound thumb break and an internal trigger guard lock for secure weapon retention
- Slightly forward grip cant allows for comfortable carry and quick, easy draw
- Offered in 2" (50mm) or 2.25" (58mm) belt slots
- Available in Plain Black, Basketweave, Hi Gloss or Nylon Look finishes



PATENTED

**7285**

**LOW-RIDE UBL**

- 1.5" (38mm) Belt Drop version

# Level I Retention



PATENTED

**7390**  
**7TS™ALS® MID-RIDE DUTY**  
**Level I Retention™**

- ALS® (Automatic Locking System) secures weapon once holstered; simple straight up draw once release is deactivated
- Open-top design without SLS for quick retrieval of weapon
- Optional ALS Guard available for increasing level of security by one to a Level II Retention™
- A proprietary nylon blend that is completely non-abrasive to a firearm's finish
- Raised stand-off surfaces in holster's interior creates air space around the weapon, allowing dirt and moisture to quickly clear any contact with the firearm
- Very high heat and low cold tolerances; structurally sound from 300° F to -50° F
- Available in SafariSeven™ Plain, Basketweave, Hi Gloss and FDE Brown finishes



PATENTED



**6390**  
**ALS® MID-RIDE DUTY**  
**Level I Retention™**

- ALS® (Automatic Locking System) secures weapon once holstered; simple straight up draw once the release is deactivated
- Optional ALS Guard available for increasing level of security by one to Level II Retention™
- Open-top design without SLS for quick retrieval of weapon
- SafariLaminate™ thermoformed construction protects handgun and sights
- Available in STX finishes
- Available in RDS model



**200**  
**TOP GUN MID-RIDE**  
**Level I Retention™**

- Features a top draw, mid-ride, straight-drop cant and a thumb break with a one-way directional snap
- Adjustable holster tensioning device easily allows the controlling of friction with the turn of a screw
- Available in Plain Black, Basketweave, Hi Gloss or Nylon Look finishes



PATENTED

**7392**  
**HI-RIDE UBL**

**6392**  
**HI-RIDE UBL**



PATENTED

**2**  
**HI-RIDE DUTY**  
**Level I Retention™**



PATENTED

**7395**  
**LOW-RIDE UBL**

- 1.5" (38mm) Belt Drop version



PATENTED

**6395**  
**LOW-RIDE UBL**

- 1.5" (38mm) Belt Drop version



**2005**  
**LOW-RIDE UBL**

- 1.5" (38mm) Belt Drop version



# Electronic Discharge Weapon Holsters

## ELECTRONIC DISCHARGE WEAPON HOLSTERS

Safariland® offers a wide array of holster models to address the market expansion in the use of EDWs, or electronic discharge weapons. The Safariland SLS has improved the offerings of the EDW holster from a simple device, holding a weapon in a Retention Level-quality holster.



### 7520

#### 7TS™ SLS EDW HOLSTER WITH CLIP

##### Level II Retention™

- SLS (Self Locking System) Rotating Hood
- A proprietary nylon blend that is completely non-abrasive to a cartridge's finish
- Raised stand-off surfaces in holster's interior creates air space around the weapon, allowing dirt and moisture to quickly clear any contact with the cartridge
- Clip-on style belt loop with ability to fit 1.5" (38mm), 1.75" (45mm), 2" (50mm) or 2.25" (58mm); belt clip is user-adjustable for cant angle
- Designed for vertical or cross draw carry
- Closed bottom with drain hole to protect cartridge and officer
- Very high and low cold tolerances; structurally sound from 300°F to -50°F
- Available in SafariSeven™, Plain Black, Basketweave and Hi Gloss
- Now available with ECA cant adapter, for more aggressive cross draw cant



### 6287

#### SLS EDW BELT LOOP Level II Retention™

- Rides close to body
- SLS (Self Locking System) Rotating Hood
- Adjustable cant, can be worn strongside or cross draw
- Closed bottom with drain hole to protect cartridge and officer
- SafariLaminate™ construction with suede lining
- Available in Plain Black or STX Tactical® finishes (all colors)



### 6520

#### SLS EDW HOLSTER WITH CLIP

##### Level II Retention™

- SLS (Self Locking System) Rotating Hood
- Clip-on style belt loop with ability to fit 1.5" (38mm), 1.75" (45mm), 2" (50mm) or 2.25" (58mm); belt clip is user-adjustable for cant angle
- Designed for vertical or cross draw carry
- Closed bottom with drain hole to protect cartridge and officer
- SafariLaminate™ construction with suede lining
- Available in Plain Black, Basketweave, Hi Gloss, Nylon Look, STX or STX Tactical® finishes (all colors)
- Now available with ECA cant adapter, for more aggressive cross draw cant



### 521-CAP

#### EDW CARTRIDGE ACCESSORY PLATE

- Attaches to the 745BL Belt Clip
- Provides convenient storage area for additional EDW cartridge
- Available for Models 520 & 6520
- Available in Plain Black, Basketweave, Hi Gloss or Nylon Look finishes
- Holster sold separately

# Duty Holster Accessories

## HOLSTER MOUNTING PLATFORMS

Safariland® offers the broadest line of holsters for law enforcement, so it follows that we would also provide the most extensive line of mounting platforms and accessories for our holsters. These options add versatility, comfort, and convenience as you perform your duties.

## UNIVERSAL BELT LOOP

### (UBL) STYLES

- Will not pinch or add pressure to hip bone (support ridge removed from the belt shank)
- Locks onto the duty belt with belt slot design, no belt tension screws needed; will not damage top of belt
- Compatible with any holster with the 3-hole pattern



**NEW**

## VERTICAL UNIVERSAL BELT LOOP VUBL

- 3 height adjustment options
- Can be adjusted while holster is on belt
- Passes retention pull test
- Fits 2" or 2.25" width belts

### 6070UBL-PAD MID-RIDE

### 6075UBL-PAD LOW-RIDE



- Provides a soft pad between the body and Universal Belt Loop (UBL)
- Helps address comfort issues associated with wearing a duty belt for long periods of time
- Works equally well for both male and female officers

## RIDE HEIGHTS FOR VARIOUS BODY STYLES



Mid-rise: standard ride height



Low-rise: drop version 1.5" below waist



Mid-rise with HDA: drop version 2" below waist



**6070UBL**  
2" OR 2.25"  
MID-RIDE  
UBL



**6075UBL**  
2" OR 2.25"  
LOW-RIDE  
UBL



**6072UBL**  
2" OR 2.25"  
HI-RIDE  
UBL



**P2201**  
CONVERTS  
2.25" UBL TO A 2"  
BELT SLOT



**6281HDA**  
DROPS  
HOLSTER  
BY 2"



**HRA**  
HI-RIDE  
ADAPTER  
LIFTS HOLSTER  
BY 2"

## SPACER KITS

Spacer kits are available to position the holster away from the body to accommodate various body shapes. The kits are designed for use with Safariland 3-hole pattern holsters and tactical accessories.



### T-SPACER-KIT

- Positions holster farther away from body for a smooth and comfortable draw
- For use on holsters only



### HDA-KIT

- Designed to lower holster by 2" (50mm)
- For use on holsters only, right and left hand specific



### OVAL SPACER-KIT

- Positions upper portion of holster farther away from body without spacing the bottom any further, giving an increased "outward" cant



### CUSTOMIZED-KIT

- Positions holster farther away from body for a smooth and comfortable draw
- For use with holsters or accessories

# Holster Accessories

## CONCEALMENT HOLSTER MOUNTING PLATFORMS



**745BL  
BELT CLIP**

- 3-hole pattern, allowing interchangeability
- Clips on/off belt without having to remove other accessories on rig
- Durable nylon; passes Level I Retention™ pull test
- Fits belt widths from 1.5" (38mm) to 2.25" (58mm)



**568BL  
PADDLE**

- Fits up to 1.75" belt widths
- No belt necessary for use



**565BL  
HI-RIDE  
BELT LOOP**

- Used on any Safariland® 3-hole pattern holster
- Available in 1.5" or 1.75" belt width



**566BL  
BELT LOOP**

- Rides 1" or 2" higher than standard 567BL belt loop
- Fit belt widths up to 1.5" (38mm)



**567BL  
BELT LOOP**

- Seven different options available up to 2.25"



**571BL  
MICRO PADDLE**

- Fits belt widths from 1.5" (38mm) to 1.75" (45mm)

## SLS/ALS ACCESSORIES



**SLS (SELF LOCKING SYSTEM)**

FITS ALL SLS MODELS



**ALS (AUTOMATIC LOCKING SYSTEM)**



**6000  
SLS HOOD GUARD**

- Features a uniquely designed accessory protection for the SLS holster system
- Will adapt to any SLS holster
- Colors: Black, Tan, Foliage Green



**6001  
SLS SENTRY**

- Features a uniquely designed accessory protection for the SLS holster system
- Will adapt to any SLS holster and increase the retention level by one
- Color: Black



**6002  
SLS SENTRY & HOOD GUARD**

- Features the Sentry installed into the Hood Guard
- Will adapt to any SLS holster
- Hood Colors: Black, Tan, Foliage Green
- Sentry only available in Black



LOCKED



UNLOCKED

**6006  
ALS® GUARD**

- Provides additional security for select ALS® concealment, tactical and duty holsters
- Fits all ALS holsters without SLS rotating hood
- Covers ALS lever to prevent any accidental or unauthorized use
- Can be retrofitted onto existing ALS concealment holsters
- Color: Black

**6007  
ALS HOOD GUARD**

- Features a uniquely designed accessory protection for the ALS holster system
- Will adapt to any ALS holster
- Colors: Black, Tan, Foliage Green

**6008  
HOOD GUARD  
& ALS GUARD**

- Features the ALS guard installed into the hood guard
- Fits all ALS holsters without SLS rotating hood
- Covers ALS lever to prevent any accidental or unauthorized use
- Colors: Black, Tan, Foliage Green (ALS Guard Black only)



# Holster Mounting Platforms



Shown: Duty Belt with Single Leg Shroud with 6004-DFA

## 6004-DFA

### DROP FLEX ADAPTER

- Allows user to wear a thigh rig below the hip without shifting weight farther down the leg
- Keeps rig from sliding on belt no keeper needed
- Can be used on belt widths up to 2.25" (58mm)
- For use in conjunction with the 6004-10 Leg Shroud



WITH QLS FORK



WITH 568BL PADDLE



WITH ELS FORK



WITH 745BL BELT CLIP

## 6004-UFA

### UNIVERSAL FLEX ADAPTER

- Allows user to wear a thigh rig below the hip without shifting weight farther down the leg
- Hole pattern on UFA makes connecting to various mounts possible, including the 568BL Paddle, ELS Fork, QLS Fork, or 745BL Belt Clip
- For use in conjunction with 6004-10 Leg Shroud

# Duty Belts

## DUTY BELTS

All belts available in Black unless otherwise specified, and buckles are offered in a choice of chrome or brass finish



**031**  
**D-RING BELT 1.5" (38MM)**

- Reinforced instructor-style belt
- Lined with loop material



**51**  
**GARRISON WITH SQUARE BUCKLE 1.75" (45MM)**

- Full grain leather construction
- Includes removable square chrome or brass buckle



**99/999**  
**BUCKLELESS™ REVERSIBLE BELT 1.5" (38MM)**

- Loop can be worn on the outside, creating a Buckleless system
- Order 999 for belt without loop lining



**992**  
**REVERSIBLE SAFARILAMINATE™ BELT 1.5" (38MM)**

- Lined with loop material
- Designed to be worn under duty belts with hook as the foundation of the Safariland® Buckleless™ system
- The 992 is the contour version of the 99



**942**  
**CONTOURED BUCKLELESS™ BELT 2" (50MM) OR 2.25" (58MM)**

- Tip of belt points to the right side of the officer
- Greater all-day comfort by distributing weight evenly; no sharp edges to dig into hips
- Lined with hook to mate with 99 underbelt
- Features a hidden brass hook closure



**87/87V**  
**SAM BROWNE BELT 2.25" (58MM)**

- Standard duty belt with a suede lining
- 4-stitch design with free-sliding keeper to hold belt tip in place
- Double-tongued buckle and center belt stud fasten belt firmly around waist
- 87V with hook lining



**146/146V**  
**BORDER PATROL WITH BUCKLE 2.25" (58MM)**

- Billeted belt design with 1.25" billets and buckle
- The 1.25" (32mm) and 2.25" (58mm) keepers hold the interior and exterior belt tips in place
- 146V version features hook lining



**872**  
**CONTOURED BELT 2.25" (58MM)**

- 4-stitch design with suede lining and free-sliding keeper to hold belt tip in place
- 2.25" (58mm) duty belt is contoured for proper alignment and greater comfort
- Greater all-day comfort; no sharp edges to dig into hips



**875**  
**SAM BROWNE STITCHED EDGE 2.25" (58MM)**

- Standard duty belt with a plain border stitch
- Double-tongued buckle and center belt stud fasten belt firmly around waist



**4330**  
**PADDED UNDER BELT**

- 3" padded belt liner for use with duty or tactical belts
- Padding extends beyond edges of belt to help with weight distribution and remove pinch point
- Anti-bacterial and anti-microbial mesh interior



**94/94P**  
**BUCKLELESS™ BELT 2.25" (58MM)**

- Features a hidden brass hook and a hook and loop closure on both ends
- Belt is lined with a band of hook and loop and attaches to the lining on the Model 99 or 992, completing the Buckleless system
- 94P without hook and loop



**4320**  
**PADDED BELT LINER**

- Provides a padded buffer between duty belt and body
- Helps eliminate possible bruising and other comfort issues associated with wearing a duty belt for long periods of time



**4325**  
**NYLON BUCKLELESS™ REVERSIBLE BELT 1.5" (38MM)**

- Hook and loop closure
- Lined with loop material



## DUTY ACCESSORIES

- Durable SafariLaminate™ construction for long-lasting wear
- All accessories are designed to fit 2.25" (58mm) duty belts unless otherwise specified
- Finishes offered: traditional leather look; in Plain, Basketweave or Hi Gloss; STX Tactical® in all colors
- Many Safariland® duty accessories are available with hidden snap closure. Visit [safariland.com/safariland](http://safariland.com/safariland)
- Snap versions available in Chrome, Brass or Black

**NOTE: ITEMS NOTED WITH (\*) ARE AVAILABLE IN STX FINISH**



### 78\* SLIMLINE DOUBLE MAGAZINE POUCH

- Magazines are oriented "bullets out" to save space on belt
- Optimal for use on tactical rigs due to minimal width
- Vertical and horizontal belt slots
- Also available in tactical mounting configuration



### 79\* SLIMLINE OPEN TOP DOUBLE MAGAZINE POUCH

- Magazines are oriented "bullets out" to save space on duty belt
- Optimal use on tactical rigs due to minimal width
- Vertical belt slots
- Also available in tactical mounting configuration



### 777\* SLIMLINE TRIPLE MAGAZINE POUCH

- Magazines are oriented "bullets out" to save space on belt
- Optimal for use on tactical rigs due to minimal width
- Vertical and horizontal belt slots
- Also available in tactical mounting configuration



### 775\* SLIMLINE OPEN TOP TRIPLE MAGAZINE POUCH

- Adjustable angle positions designed into belt loop
- Provides triple magazine retention without flap in an area comparable to standard dual magazine pouches
- Adjustable tension device to help retain magazines in pouch
- Also available in tactical mounting configuration



# Duty Accessories

**72**

**DOUBLE MAGAZINE AND CUFF POUCH**

- Designed to fit two handgun magazines and one pair of handcuffs
- Adjustable tension device to help retain magazines in pouch



72



73

**73**

**OPEN TOP DOUBLE MAGAZINE POUCH**

- Features adjustable angle positions for both vertical and horizontal carry
- Tension screw allows retention adjustment

**75\***

**OPEN TOP DOUBLE MAGAZINE POUCH**

- Span between pouches, plus low cut allows for a quick and easy draw
- Tension screw allows retention adjustment



75\*



76\*



307\* Light

**76\***

**SINGLE MAGAZINE POUCH**

- Several sizes to fit most popular magazines
- Also available in tactical mounting configuration

**77\***

**DOUBLE MAGAZINE POUCH**

- Several sizes to fit most popular magazines
- Also available in tactical mounting configuration



77\*

**307\***

**LIGHT/EDW CARTRIDGE HOLDERS**

- Pouch fits most popular gun mounted lights
- Also designed for the Taser® cartridge
- Fits 2" to 2.25" (50mm-58mm) belt widths
- Also available in tactical mounting configuration

**306\***

**OPEN TOP MINI-FLASHLIGHT HOLDER**

- Half-sheath style fully protects selected mini flashlights



307\* EDW

**308\***

**HANDHELD FLASHLIGHT HOLDER**

- Flap closure style to fit select hand-held lights
- Also available in tactical mounting configuration



306\*



308\*

**35\***

**BATON HOLDER**

- Extended baton can be reholstered
- Fits 16" (406cm), 21" (533cm) or 26" (660cm) expandable batons
- Also available in tactical mounting configuration



35\*



135\*

**135\***

**BATON HOLDER**

- Fits 16" (406cm), 21" (533cm) or 26" (660cm) expandable batons
- 26" length also fits Streamlight® Stinger® flashlight
- Available in two sizes for 1.5" and 2" - 2.25" (38mm-58mm) belts



**62**  
**BELT KEEPER**

- Slot fits up to 1.75" (45mm) belts
- Hidden snap

**63**  
**SLOTTED BELT KEEPER**

- Slotted, two-snap belt keeper
- Slot fits up to 1.75" (45mm) belt widths

**65**  
**BELT KEEPER**

- Standard 0.75" (19mm) belt keeper
- Available in two sizes for 2" and 2.25" (50mm-58mm) belts

**654**  
**SLOTTED BELT KEEPER**

- Slot fits up to 1.75" (45mm) belt widths
- 4-snap closure

**655**  
**HEAVY-DUTY BELT KEEPER**

- Rugged, heavy-duty, two-snap belt keeper
- Extra wide at 1.25" (32mm)

**HK-11**  
**HIDE-A KEYPER™**

- Hidden handcuff key in inside of belt keeper

**67/67S**  
**BATON RING**

- Also fits C-cell flashlights
- 67 (not shown) is without snap

**168**  
**KEY RING (DOES NOT INCLUDE KEY)**

- Heavy-duty metal spring hook
- Protective flap
- 2-snap design

**169S**  
**KEY RING**

- Heavy-duty metal spring hook
- 1-snap design

**170**  
**SILENT KEY HOLDER**

- SafariLaminate™ construction
- Hook and loop adjustable pouch



62 63 65 654



655 HK-11



67S 168 169S 170

Does Not Include Key

# Duty Accessories

**37-8\***

**OPEN TOP IMPACT ROUND HOLDER**

- Open-top pouch for 37/40mm less lethal rounds
- Can be ordered for 2.25" (58mm) belt slide or mount on leg and vest accessory
- Also available in tactical mounting configuration

**692S**

**BATON RING WITH SNAP**

- For side-handle batons
- Snaps/slides on duty belt

**730**

**HEAVY-DUTY FLASHLIGHT RING**

- Features a shatter-resistant nylon ring
- 1-snap closure
- For D-cell and C-cell flashlights



**38-8\***

**IMPACT ROUND CASE, TOP FLAP**

- Closed top pouch for 37/40mm less lethal rounds
- Designed for the Defense Technology® eXact iImpact™ and Direct Impact® rounds
- Can be ordered for 2.25" (58mm) belt
- Also available in tactical mounting configuration

**37\***

**OPEN TOP MACE®/OC SPRAY HOLDER**

- Open-top for quick access
- Also available in tactical mounting configuration

**38\***

**MACE®/OC HOLDER**

- Top flap for added security
- Also available in tactical mounting configuration

**090/090H**

**OPEN TOP HANDCUFF CASE**

- Open-top thermoformed design
- Fits chain or hinged cuffs

**33\***

**SURGICAL GLOVE HOLDER**

- Hook and loop closure
- Holds one or three pair of surgical gloves; please specify

**90/90H**

**HANDCUFF CASE**

- Specify chain or hinged cuffs

**190\*/190H\***

**HANDCUFF CASE**

- Specify chain (190) or hinged (190H)
- Also available in tactical mounting configuration

**290/290H**

**DOUBLE HANDCUFF CASE**

- Specify chain or hinged cuffs
- 290H (not shown) fits hinged cuffs

**690**

**HANDCUFF STRAP**

- Saves space on duty belt
- 1-snap design

**764**

**RECORDER CASE**

- Features a protective pouch and an adjustable bungee cord tie-down with a snap closure

**768**

**COMPACT SPARE CUFF™ HOLDER**

- Metal clip attachment to fit 2" to 2.25" (50mm-58mm) duty belt



37-8\*



692S



730



37\*



38\*



33\*



090



90



190\*



290



690



764



768



# Duty Accessories

BODY-WORN CAMERAS | CONCEALABLE ARMOR | TACTICAL ARMOR | COMMUNICATIONS | PATROL BIKE | DUTY GEAR/HOLSTERS | PROTECTIVE GEAR | FIREARMS ACCESSORIES | LETHAL | PERFORMANCE APPAREL | SURVIVABILITY SYSTEMS | FORENSICS | ARMOR SYSTEMS | TRAINING GROUP

## 761\* ADJUSTABLE RADIO HOLDER

- Adjustable bungee cord tie-down with a snap closure
- Fits most standard portable police radios

## 762\* RADIO HOLDER WITH SWIVEL

- Features a detachable swivel belt loop for easy retrieval
- Protective pouch and adjustable bungee cord tie-down with a snap closure

## 763 UNIVERSAL RADIO HOLDER - PORTABLE

- Universal fit
- Features an adjustable band to fit almost any standard portable police radio
- Bottom lip prevents the radio from falling through

## 766 RADIO HOLDER

- Adjustable bungee cord tie-down with snap closure
- Utilizes 745BL Belt Attachment – giving users the ability to clip on or off of the belt without removing other accessories
- Fits belt widths from 1.5" (38mm) to 2.25" (58mm)

## 080-12 SHOTGUN SHELL HOLDER

- Molded shotgun shell holder holds two 12-Gauge shells
- Belt clip features an extended bottom hook for security

## CD-2 SPEEDLOADER HOLDER

- Strong, epoxy-coated steel clips
- Lined with a vinyl pad insert to ensure loader stability
- CD-2 clips firmly onto any belt up to 2" (50mm) wide
- Metal construction

## 371 SINGLE SPEEDLOADER HOLDER

- Ultra-low profile and quick, easy single-action draw – providing the fastest "top-flap" speedloader holder available
- Design carries cartridges on either side of the belt
- Allows user to grip both sides of the loader while unsnapping the top flap
- Fits 1.75" (45mm) belts

## 340 DOUBLE SPEEDLOADER HOLDER

- Standard double speedloader
- Chrome or brass snap



761\*

762\*

763

766

BACK



080-12



CD-2



371



340



# Tactical & Military

## TACTICAL & MILITARY

Safariland® tactical gear is a breed apart. Safariland products are battle-proven worldwide and offer an unmatched combination of quality, functionality and versatility in every product that carries our name. From leg-drop holsters and MOLLE-compatible attachment systems, to munitions carriers and more, Safariland gives you the tactical advantage you need to carry the day – day in and day out.

- All models available with dual or single strap thigh rigs
- All holsters available in STX Tactical® finishes (all colors) unless noted

### TACTICAL HOLSTERS CAN BE CONFIGURED WITH ANY OF THESE ATTACHMENT SYSTEMS



**Drop Flex Adapter**



**Universal Flex Adapter**



**Single Strap with D-Ring**

SEE PAGE 73 FOR ALL MOUNTING OPTIONS



**Single Strap LP with D-Ring**




**Single Strap**



**Single Strap with Quick Release**



PATENTED




**7004**

**7TS™ SLS TACTICAL HOLSTER**

- SLS (Self Locking System) Rotating Hood
- Optional Sentry
- Constructed of SafariSeven™, a proprietary nylon blend that is completely non-abrasive to a firearm's finish
- Raised stand-off surfaces in holster's interior creates air space around the weapon allowing dirt and moisture to quickly clear any contact with the firearm
- Very high heat and low cold tolerances; structurally sound from 300°F to -50°F
- Available in SafariSeven Plain Black and FDE Brown finishes



PATENTED



**7304**

**7TS™ ALS® TACTICAL HOLSTER**

- ALS® (Automatic Locking System) secures weapon once holstered; simple straight up draw once release is deactivated
- SLS (Self Locking System) Rotating Hood
- Optional Sentry
- Constructed of SafariSeven™, a proprietary nylon blend that is completely non-abrasive to a firearm's finish
- Raised stand-off surfaces in holster's interior creates air space around the weapon allowing dirt and moisture to quickly clear any contact with the firearm
- Very high heat and low cold tolerances; structurally sound from 300°F to -50°F
- Available in SafariSeven Plain Black and FDE Brown finishes

**7005**

**7TS™ SLS TACTICAL HOLSTER WITH QUICK-RELEASE LEG STRAP**



PATENTED

**7305**

**7TS™ ALS® TACTICAL HOLSTER WITH QUICK-RELEASE LEG STRAP**



PATENTED





**7354**

**7TS™ ALS® TACTICAL HOLSTER**



- ALS® (Automatic Locking System) secures weapon once holstered, simple straight up draw once release is deactivated
- Open-top design without SLS for quick retrieval of weapon
- Constructed of SafariSeven™, a proprietary nylon blend that is completely non-abrasive to a firearm's finish
- Raised stand-off surfaces in holster's interior creates air space around the weapon allowing dirt and moisture to quickly clear any contact with the firearm
- Very high heat and low cold tolerances; structurally sound from 300°F to -50°F
- Available in SafariSeven Plain Black and FDE Brown finishes
- Also optimized for MOLLE vest use (OMV version), Models 7384 and 7385



PATENTED

**7TS**



PATENTED

**7355**

**7TS™ ALS® TACTICAL HOLSTER WITH QUICK-RELEASE LEG STRAP**

**6304RDS**

**ALS®/SLS TACTICAL HOLSTER**

- ALS® (Automatic Locking System) secures weapon once holstered, simple straight up draw once release is deactivated
- SLS (Self Locking System) Rotating Hood
- For use with Red Dot Optic-equipped weapons
- Cordura® nylon wrap finish reduces infrared (IR) signature
- SafariLaminate™ thermoformed construction protects handgun and sights
- Suede lined to protect handgun's finish
- Available in Cordura® Nylon, MultiCam®, Ranger Green, Coyote, Khaki or STX finishes



PATENTED



PATENTED

**6305RDS**

**ALS®/SLS TACTICAL HOLSTER WITH QUICK-RELEASE LEG STRAP**



# Tactical & Military



**6004USN**  
**LOW SIGNATURE SLS TACTICAL HOLSTER**

- Features the SLS (Self Locking System) rotating hood system
- SLS allows for a smoother, single-motion draw
- Genuine SafariLaminate™ construction with suede lining to help protect the weapon's finish
- Cordura® nylon wrap finish reduces Infrared (IR) Signature
- Available in MultiCam®, Ranger Green, Coyote, Khaki and Black finishes



**6004**  
**SLS TACTICAL HOLSTER**

- Features the SLS (Self Locking System) rotating hood system allowing for a smoother, single-motion draw and greater protection against attempted weapon takeaways
- Hood Guard is standard; optional Sentry available
- Suede lined to protect handgun's finish



**6005**  
**SLS TACTICAL HOLSTER WITH QUICK-RELEASE LEG STRAP**

Shown here with optional Double Magazine Pouch mounted



**6304**  
**ALS®/SLS TACTICAL HOLSTER**

- ALS® (Automatic Locking System) secures weapon once holstered
- SLS allows for a smoother, single motion draw and greater protection against attempted weapon takeaways
- Hood Guard is standard; optional Sentry available
- Simple straight up draw once all releases are deactivated
- Suede lined to protect handgun's finish



**6305**  
**ALS®/SLS TACTICAL HOLSTER WITH QUICK-RELEASE LEG STRAP**



**6354**  
**ALS® TACTICAL HOLSTER**

- ALS® (Automatic Locking System) secures weapon once holstered; simple straight up draw once release is deactivated
- Open-top design without SLS for quick retrieval of weapon
- Suede lined to protect handgun's finish
- Available in RDS model



**6355**  
**ALS® TACTICAL HOLSTER WITH QUICK-RELEASE LEG STRAP**



**6034**

**SLS AMBIDEXTROUS MILITARY TACTICAL HOLSTER**

- Features the SLS (Self Locking System) rotating hood system allowing for a smoother, single-motion draw and greater protection against attempted weapon takeaways
- Ambidextrous body design
- Designed to accommodate the Beretta M9/92F or Sig P226 pistol with or without a light or LAM unit
- Hood Guard is standard; optional Sentry available
- Also available with Mid-ride UBL (6230) or Low-ride UBL (6235)



**6035**


**SLS MILITARY TACTICAL HOLSTER WITH QUICK-RELEASE LEG STRAP**



**6384**

**ALS® OMV TACTICAL HOLSTER**

- ALS® (Automatic Locking System) secures weapon once holstered; simple straight up draw once release is deactivated
- Holster is optimized for MOLLE vest use (OMV), with lower center of gravity than most other Safariland® duty and tactical holsters for less pulling on vest
- Open-top design without SLS for quick retrieval of weapon
- Hood Guard is standard; optional ALS Guard available
- Suede lined to protect handgun's finish
- Available in RDS Model



# Tactical & Military



PATENTED

## 6385 ALS® OMV TACTICAL HOLSTER WITH QUICK-RELEASE LEG STRAP

- Adjustable vertical leg strap with quick-release detachable leg harness



6384 Holster with MLS 16 on Vest



PATENTED



## 6378USN ALS® LOW SIGNATURE HOLSTER

- ALS (Automatic Locking System) secures weapon once holstered, simple straight up draw once release is deactivated
- Reduces Infrared (IR) Signature
- Compact profile for minimal interference with other equipment
- Optional ALS Guard (Model 6006) available for increased security
- Available in MultiCam®, Ranger Green, Coyote or Khaki finishes
- Available for Beretta M9/M9A1/92F, Glock 19/23 and Sig Sauer P226



PATENTED

## ALS MILITARY KIT

- ALS (Automatic Locking System) secures weapon once holstered, simple straight up draw once release is deactivated
- Open-top design without SLS for quick retrieval of weapon
- Single strap leg shroud with Quick Locking Receiver Plate (QLS 22) and a 568BL Paddle
- 567BL Injection-Molded Belt Loop with a Quick Locking Receiver Plate (QLS 22). The 567BL can be modified to fit 1.5", 1.75", 2" and 2.25" belt slot with a 1" drop
- Adjustable shoulder harness with Quick Locking Receiver Plate (QLS 22)
- MOLLE Locking Fork (MLS16) with Quick Locking Receiver Plate (QLS 22) mount included for MOLLE chest carry

